

## best selling tents

### Campers Village is the best place to buy your next tent. Why?

We have the best tent selection around, and all our tents are set up in the store. Check them out for yourself! Campers Village has large, roomy tents for families, smaller tents for canoe or car camping, and brand name tents for backpacking, extended season or extreme use. Tents at Campers Village are made to our specifications. We were the first retailer to take specific customer requests to manufacturers, because our customers needed more value! Our tents have tough YKK zippers, heavy-duty floors and stronger poles. At Campers Village, you'll find experts who know the product and give authentic advice. Our experienced outdoor enthusiasts will help you find a tent that meets your needs and budget.

**NORTH  
TRAIL**

### North Trail Laredo V

*The Laredo V is the best choice for a family of four requiring a dry, durable tent.*

- Roomy interior, full coverage fly and extra large hooped front vestibule
- Tough #10 YKK nylon coil zippers, shock-corded fiberglass poles
- Large full-zip "D" style door with insect-proof black nylon mesh windows for increased visibility
- Rainfly has Solarcoat 2 coating on outer surface for added UV protection and interior darkness

**Capacity** 5      **Weight** 16 lbs      **Dimensions** 108" x 108" x 72"  
**Waterproofing** PU 1200 mm: fully taped seams  
**Fabric** 1.9 oz ripstop nylon body. Heavy duty 6 oz oxford nylon bathtub floor.  
 3 oz tafetta nylon fly

31448

**\$299.99**

### North Trail Castle Mountain VI

*Improved!*


*This two-room tent has the mother of all vestibules and is perfect for any family or group camping trip.*

- Generously cut rainfly for added shelter, interior divider wall and spacious vestibule
- Tough #10 YKK nylon coil zippers, shock-corded fiberglass poles
- Large full-zip "D" style door with insect-proof black nylon mesh windows for increased visibility
- Rainfly has Solarcoat 2 coating on outer surface for added UV protection and interior darkness

**Capacity** 6      **Weight** 24lbs 8oz.      **Dimensions** 146" x 110" x 80"  
**Waterproofing** PU 1200 mm: now with fully taped seams  
**Fabric** 1.9 oz ripstop nylon body. Heavy duty 6 oz oxford nylon bathtub floor.  
 3 oz tafetta nylon fly

12624

**\$399.99**



**NORTH  
TRAIL**



# ASSEMBLY INSTRUCTIONS

## Contents

- A Clip Laredo V Tent
- B Clip Laredo V Fly
- C Shockcorded USA Fibreglass poles (2 sets)  
218"/554 cm (9 sections)
- D Shockcorded USA Fibreglass vestibule pole (1)  
180"/457 cm long (8 sections)
- E Tent Pegs (24)
- F Guylines (6)
- G Nylon Stuff Sacks (3)
  - 1 tent stuff sack
  - 1 pole stuff sack
  - 1 peg stuff sack

## Important

**Set up your new Clip Laredo V tent at home before your first trip. A dark campsite is not the place to learn how to assemble your new North Trail Premier tent.**

- 1 Read assembly instructions with care.
- NOTE** 2 Seam seal all exposed seams before your first camping trip. When sealing the seams of your FLY, seal the seams on the non-silver side.
- 3 When selecting a campsite, make sure you find a flat area with good drainage free from all sharp objects.
- 4 Always PUSH pole through pole sleeve to avoid tearing the fabric.
- 5 Always use your rainfly as protection for the inner tent against the ultra violet rays of the sun.

## Assembly

### A TENT

- 1 Unfold and spread tent out on a clear campsite area.
- 2 Assemble all shockcorded poles by unfolding and slipping shafts together.
- 3 Take one 218"/554 cm pole
  - a) Insert the pole into pole sleeve located on the left hand side of the door.
  - b) PUSH pole through pole sleeve to diagonal rear corner of tent.
  - c) Repeat procedures (a) and (b) with other pole on right hand side of door.
- 4 Each tent corner point has a web strip with grommets. Insert each pin into the grommet closest to the tent.
- 5 Hook clips onto all poles.

### B FLY

- 1 Spread fly over tent, making sure vestibule is over the front of the tent.
- 2 Secure fly to poles with velcro tabs.
- 3 On the inside of the vestibule you will find a pole sleeve.
- 4 Insert the 180"/457 cm pole into the pole sleeve. Insert the pole tips into the second grommet on the web/grommet strip.
- 5 Attach all S-hooks to the D-rings, located at each tent corner on the web/grommet strip.

### C GUYLINES AND PEGGING

- 1 Pull front base of vestibule away from tent. Place a peg through each of the shockcorded loops and stake out securely.
- 2 Place a peg through the final grommet on each web/grommet strip and peg out securely.
- 3 At the base on each side of the tent is a web loop. Insert a peg into each loop and peg out securely.
- 4 On the hem of the fly are shockcorded loops. Insert a peg into each loop and peg out securely.
- 5 Above vestibule door are 2 web loops. Attach a guyline, secure to a peg and stake out securely into the ground.
- 6 On the exterior of the fly are O-rings. Attach a guyline to each, secure to a peg and stake out securely.

### D FINAL CHECK LIST

- 1 Tent poles are secure in grommets.
- 2 Guylines are taut.
- 3 Pegs are secure in ground.
- 4 Clips are all fastened to poles.

## Care Essentials

### Seams

Check the seams on a regular basis, and reapply sealer (Kenyon Seam Sealer—available from your dealer) as necessary. Ensure seam seal is completely dry before folding or touching.

### Exposure

Always use your rainfly as protection for the inner tent against the ultra violet rays of the sun. The coated fabric of the fly is less susceptible to UV damage, and will provide a thermos effect: cooling when hot, and warming when cold.

### Cleaning

Erect your tent and wash with a sponge or soft brush and a mild soap. NEVER MACHINE WASH OR DRY. High heat can damage coatings and attachments can become torn or broken.

**NORTH  
TRAIL™**  
PREMIER

## Tent Use and Care Instructions



Your new tent has been carefully designed and manufactured to give years of trouble-free performance.

Like all things, it must be properly cared for to give its maximum usage.

At right are a few basic points that will help your tent have a long and satisfying life.



### Seams

Become familiar with your tent at home. Set it up and check it over. Now is the time to seal those needle holes that could wick moisture through the seams. *Kenyon Seam Sealer* can be obtained from your dealer. Check the seams on a regular basis, and reapply the sealer as necessary. Ensure seam seal is completely dry before folding or touching. On the tent FLY it is recommended that you seal the seams on the non-silver side.

### Sun

Always use your rainfly as protection for the inner tent against the ultra violet rays of the sun. The coated fabric of the fly is less susceptible to UV damage, and will provide a thermos effect: cooling when hot, and warming when cold. Ultra Violet (UV) rays from sunlight are known to cause deterioration in fabrics after extensive exposure.

North Trail Premier tents are made with fabrics treated to protect and extend the life of the tent; however ultra violet rays may eventually cause damage and affect the durability of your tent fabric.

Ultra violet damage is **not** covered under your **North Trail Premier Warranty**.

### Staking

Self-supporting tents hold their shape, and are easily moved from one location to another. However, they can blow away on windy days. Use the pegs provided to keep your tent where you want it to be, otherwise that smooth level surface you selected may go unoccupied. Refer to tent assembly instructions on reverse for further explanation.

### Ground Preparation

Always ensure the ground is as free from twigs, rocks, etc. as possible. A ground sheet under the floor of the tent will help prolong the life and coating of the nylon floor, protecting it from abrasion and excess water, and help keep it clean.

### Accessories

Aluminum poles and all ferrules should be kept clean and dry. Silicone spray will help protect the finish, and allow sections to engage easily. Fibreglass poles should not be "snapped" together as the ends may be damaged. This also puts additional stress on the shockcords. Tip: Individual fibreglass poles can be colour coded for easier assembly.

*A light coating of silicone spray on the zippers will make the action smoother and help prevent freezing.*

### Cleaning

Erect your tent and wash with a sponge or soft brush and a mild soap.

**NEVER MACHINE WASH OR DRY.**

High heat can damage coatings and attachments can become torn or broken.

### Storage

Your tent must be clean and dry before storing. If it came back from your trip wet, be sure you hang it out to dry, and clean as much dirt as possible off the outside and inside of the tent. When clean and dry, store your tent in a cool protected area. Avoid high humidity to prevent condensation and mildew damage to zipper tapes and threads.

### Fire Warning

**USE COMMON SENSE.**

NO cooking with open flames inside or near your tent.

NEVER store flammables or refuel any appliance in your tent.

All campfires should be built away from the tent and downwind.

Your NORTH TRAIL PREMIER tent will ignite and may burn when exposed to open flames or other ignition sources. **IT IS NOT FIREPROOF.**